ADEM AIR UPDATE

Ron Gore

Alabama Department of Environmental Management September 2023

New Air Quality Standards for PM-Fine and Ozone

- Problems for Alabama if EPA lowers PM-Fine standards to 9.5 or below from current 12
- EPA recently punted on revising the ozone standard

Permitting Issues

- NGO's are petitioning EPA on Title V Operating Permits
- More procedure on minor source permitting?

Enforcement Issues

NGO is commenting on penalty Orders, asking:

- More public involvement in enforcement process
- Assessment of health effects of excess emissions
- Encourage EPA to participate in State actions or to take independent action
- More use of Supplemented Environmental Projects
- HIGHER PENALTIES

Climate Change

- Lots of federal dollars out there for electric vehicles, solar, wind, batteries
- ADEM will not make decision on grants, but can help applicants

IT Upgrades

• Paperless communication is on the way

Budget

- Long-term trend of Title V fees is up on a \$/ton basis, but not up in total real dollars
- \$/ton inversely proportional to emissions base
- No State General Fund money for Air in over 30 years
- EPA grant stable in last 15 years in unadjusted dollars, shrinking in real dollars


Air Division Staffing


- Management personnel stable
- Problems with hiring and retaining qualified staff


Relationship with EPA


- No problems in routine interaction
- Problem is with 180° reversals by EPA and Administration
- Coal ash and Ozone Transport reversals have led to ADEM filing suit.

NO_x Emissions in Alabama 2022









Procedural Reversals by EPA

- ADEM submitted a Plan for ozone transport in 2018
- After rulemaking protocols, EPA's Region 4 Administrator signed the approval.
- EPA told ADEM the approval was on the way to be published in the Federal Register.
- In March 2020, EPA told ADEM that the FR publication was on hold due to COVID.
- In Spring 2022, EPA told ADEM, with 2 day's notice, that the submittal was to be disapproved.